



Pertussis

- Reported Cases of Disease, 2001-2005
- Incidence Rate of Disease, 2001-2005
- Reported Cases by Age Group, 2005
- Reported Cases by County, 2005
- Reported Cases by Month, 2005

Reported Cases of Pertussis by Year Rhode Island, 2001-2005



Incidence Rate* of Pertussis Rhode Island, 2001-2005




*Rates are based on 2000 Rhode Island Population estimates obtained from the U.S. Bureau of the Census.

Reported Cases of Pertussis by Age Group, Rhode Island, 2005			
Age Group	Number of Reported Cases	% of Cases	Rates* of Disease per 100,000 People
< 1	6	11.5	49.2
1-4	1	1.9	1.9
5-9	7	13.5	9.7
10-19	21	40.4	14.3
>= 20	17	32.7	2.2
Total	52	100	5.0
* Denominator for computing rates for RI was based on the 2000 population estimates obtained from the U.S Census Bureau.			

Reported Cases of Pertussis by County, Rhode Island, 2005			
County	Number of Reported Cases	% of Cases	Rates* of Disease per 100,000 People
Bristol	1	1.9	2.0
Kent	6	11.5	3.6
Newport	5	9.6	5.9
Providence	27	51.9	4.3
Washington	13	25.0	10.5
Total	52	100	5.0
* Denominator for computing rates for RI was based on the 2000 population estimates obtained from the U.S Census Bureau.			

Reported Cases of Pertussis* by Month Rhode Island, 2005



* Based on date of cough onset.